Veterans demonstrated high compliance with Flexitouch® resulting in significant improvement in limb volume, symptoms, and lymphedema QoL.[1]

High Compliance at Four Weeks

91.7%

Flexitouch compliance† remained high at 71.9% at one year.

There was an additional benefit of increase in compression garment compliance, with an increase of 12.9% compared to baseline (61.4% to 74.3%).

†Compliance reported as using Flexitouch 5–7 days per week

Reduced Limb Volume*

↓5.6%

Patients who presented with stage 2 or 3 lymphedema at baseline had limb volume reduction of 1.8 cm (5.6% reduction).

Cellulitus Episodes*

↓40%

Recurrent cellulitis episodes were reduced by 40% (21.4% vs. 6.1%, p=0.001).

Improved Lymphedema QoL*

6.2→6.9

Baseline score of 6.2 increased to 6.9 in all lymphedema quality of life categories.

*Statistically significant improvement was observed at one year (52 weeks).

Download the symptom screener to help identify patients who would benefit from Flexitouch to help manage their chronic swelling at home.

1. Padberg F., Ucuzian A, Dosuluoglu H, O'Donnell T. Longitudinal Assessment of Quality of Life and Clinical Outcomes with at Home Advanced Pneumatic Compression Treatment of Lower Extremity Lymphedema. Presented at the UIP Annual Meeting; Sept 20, 2023; Miami, FL.

Tactile Medical
3701 Wayzata Blvd, Suite 300
Minneapolis, MN 55416 USA

tactilemedical.com

Customer Care
Text or Call: 612.355.5100
Toll Free Phone: 833.3TACTILE (833.382.2845)
Fax: 612.355.5101 / Toll Free Fax: 866.435.3949
Email: customerservice@tactilemedical.com
Hours: 7 a.m. to 7 p.m. CT, Monday–Friday

Tactile MEDICAL®

Tactile Medical and Flexitouch are registered trademarks of Tactile Medical. ©2023 Tactile Medical. All rights reserved. 703639-001 Rev A 9/2023